# COMPLEX NUMBERS AND QUADRATIC EQUATIONS

#### **5.1 Overview**

We know that the square of a real number is always non-negative e.g.  $(4)^2 = 16$  and  $(-4)^2 = 16$ . Therefore, square root of 16 is  $\pm$  4. What about the square root of a negative number? It is clear that a negative number can not have a real square root. So we need to extend the system of real numbers to a system in which we can find out the square roots of negative numbers. Euler (1707 - 1783) was the first mathematician to introduce the symbol i (iota) for positive square root of -1 i.e.,  $i = \sqrt{-1}$ .

#### 5.1.1 Imaginary numbers

Square root of a negative number is called an imaginary number., for example,

$$\sqrt{-9} = \sqrt{-1}\sqrt{9} = i3, \sqrt{-7} = \sqrt{-1}\sqrt{7} = i\sqrt{7}$$

## 5.1.2 Integral powers of i

$$i = \sqrt{-1}$$
,  $i^2 = -1$ ,  $i^3 = i^2$ ;  $i^4 = (i^2)^2 = (-1)^2 = 1$ .

To compute  $i^n$  for n > 4, we divide n by 4 and write it in the form n = 4m + r, where m is quotient and r is remainder  $(0 \le r \le 4)$ 

Hence  $i^n = i^{4m+r} = (i^4)^m \cdot (i)^r = (1)^m (i)^r = i^r$ For example,  $(i)^{39} = i^{4 \times 9 + 3} = (i^4)^9 \cdot (i)^3 = i^3 = -i$ and  $(i)^{-435} = i^{-(4 \times 108 + 3)} = (i)^{-(4 \times 108)} \cdot (i)^{-3}$ 

$$= \frac{1}{(i^4)^{108}} \cdot \frac{1}{(i)^3} = \frac{i}{(i)^4} = i$$

(i) If a and b are positive real numbers, then

$$\sqrt{-a} \times \sqrt{-b} = \sqrt{-1}\sqrt{a} \times \sqrt{-1}\sqrt{b} = i\sqrt{a} \times i\sqrt{b} = -\sqrt{ab}$$

(ii)  $\sqrt{a}$ .  $\sqrt{b} = \sqrt{ab}$  if a and b are positive or at least one of them is negative or zero. However,  $\sqrt{a}\sqrt{b} \neq \sqrt{ab}$  if a and b, both are negative.

## 5.1.3 Complex numbers

- (a) A number which can be written in the form a + ib, where a, b are real numbers and  $i = \sqrt{-1}$  is called a complex number.
- (b) If z = a + ib is the complex number, then a and b are called real and imaginary parts, respectively, of the complex number and written as Re(z) = a, Im(z) = b.
- (c) Order relations "greater than" and "less than" are not defined for complex numbers.
- (d) If the imaginary part of a complex number is zero, then the complex number is known as purely real number and if real part is zero, then it is called purely imaginary number, for example, 2 is a purely real number because its imaginary part is zero and 3*i* is a purely imaginary number because its real part is zero.

## 5.1.4 Algebra of complex numbers

- (a) Two complex numbers  $z_1 = a + ib$  and  $z_2 = c + id$  are said to be equal if a = c and b = d.
- (b) Let  $z_1 = a + ib$  and  $z_2 = c + id$  be two complex numbers then  $z_1 + z_2 = (a + c) + i(b + d)$ .

#### 5.1.5 Addition of complex numbers satisfies the following properties

- 1. As the sum of two complex numbers is again a complex number, the set of complex numbers is closed with respect to addition.
- 2. Addition of complex numbers is commutative, i.e.,  $z_1 + z_2 = z_2 + z_1$
- 3. Addition of complex numbers is associative, i.e.,  $(z_1 + z_2) + z_3 = z_1 + (z_2 + z_3)$
- 4. For any complex number z = x + iy, there exist 0, i.e., (0 + 0i) complex number such that z + 0 = 0 + z = z, known as identity element for addition.
- 5. For any complex number z = x + iy, there always exists a number -z = -a ib such that z + (-z) = (-z) + z = 0 and is known as the additive inverse of z.

### 5.1.6 Multiplication of complex numbers

Let  $z_1 = a + ib$  and  $z_2 = c + id$ , be two complex numbers. Then

$$z_1$$
.  $z_2 = (a + ib) (c + id) = (ac - bd) + i (ad + bc)$ 

- 1. As the product of two complex numbers is a complex number, the set of complex numbers is closed with respect to multiplication.
- 2. Multiplication of complex numbers is commutative, i.e.,  $z_1.z_2 = z_3.z_1$
- 3. Multiplication of complex numbers is associative, i.e.,  $(z_1.z_2)$  .  $z_3 = z_1$  .  $(z_2.z_3)$

4. For any complex number z = x + iy, there exists a complex number 1, i.e., (1 + 0i) such that

 $z \cdot 1 = 1 \cdot z = z$ , known as identity element for multiplication.

5. For any non zero complex number z = x + i y, there exists a complex number  $\frac{1}{z}$  such that  $z \cdot \frac{1}{z} = \frac{1}{z} \cdot z = 1$ , i.e., multiplicative inverse of  $a + ib = \frac{1}{a + ib} = \frac{a - ib}{a^2 + b^2}$ .

6. For any three complex numbers  $z_1$ ,  $z_2$  and  $z_3$ ,

$$z_1 \cdot (z_2 + z_3) = z_1 \cdot z_2 + z_1 \cdot z_3$$
  
 $(z_1 + z_2) \cdot z_3 = z_1 \cdot z_3 + z_2 \cdot z_3$ 

and

i.e., for complex numbers multiplication is distributive over addition.

**5.1.7** Let  $z_1 = a + ib$  and  $z_2 \neq 0 = c + id$ . Then

$$z_1 \div z_2 = \frac{z_1}{z_2} = \frac{a+ib}{c+id} = \frac{(ac+bd)}{c^2+d^2} + i\frac{(bc-ad)}{c^2+d^2}$$

# 5.1.8 Conjugate of a complex number

Let z = a + ib be a complex number. Then a complex number obtained by changing the sign of imaginary part of the complex number is called the conjugate of z and it is denoted by  $\overline{z}$ , i.e.,  $\overline{z} = a - ib$ .

Note that additive inverse of z is -a - ib but conjugate of z is a - ib.

We have:

1. 
$$(\overline{z}) = z$$

2. 
$$z + \overline{z} = 2 \operatorname{Re}(z)$$
,  $z - \overline{z} = 2 i \operatorname{Im}(z)$ 

3. 
$$z = \overline{z}$$
, if z is purely real.

4. 
$$z + \overline{z} = 0 \Leftrightarrow z$$
 is purely imaginary

5. 
$$z \cdot \overline{z} = \{\text{Re}(z)\}^2 + \{\text{Im}(z)\}^2$$
.

6. 
$$(\overline{z_1+z_2}) = \overline{z_1} + \overline{z_2}, (\overline{z_1-z_2}) = \overline{z_1} - \overline{z_2}$$

7. 
$$(\overline{z_1}.\overline{z_2}) = (\overline{z_1})(\overline{z_2}), \overline{\left(\frac{z_1}{z_2}\right)} = \frac{(\overline{z_1})}{(\overline{z_2})}(\overline{z_2} \neq 0)$$

#### 5.1.9 Modulus of a complex number

Let z = a + ib be a complex number. Then the positive square root of the sum of square of real part and square of imaginary part is called modulus (absolute value) of z and it is denoted by |z| i.e.,  $|z| = \sqrt{a^2 + b^2}$ 

In the set of complex numbers  $z_1 > z_2$  or  $z_1 < z_2$  are meaningless but

$$|z_1| > |z_2| \text{ or } |z_1| < |z_2|$$

are meaningful because  $|z_1|$  and  $|z_2|$  are real numbers.

# 5.1.10 Properties of modulus of a complex number

1. 
$$|z| = 0 \iff z = 0 \text{ i.e., Re } (z) = 0 \text{ and Im } (z) = 0$$

$$2. \quad |z| = |\overline{z}| = |-z|$$

3. 
$$-|z| \le \operatorname{Re}(z) \le |z|$$
 and  $-|z| \le \operatorname{Im}(z) \le |z|$ 

4. 
$$z \overline{z} = |z|^2$$
,  $|z^2| = |\overline{z}|^2$ 

5. 
$$|z_1 z_2| = |z_1| \cdot |z_2|, \left| \frac{z_1}{z_2} \right| = \frac{|z_1|}{|z_2|} (z_2 \neq 0)$$

6. 
$$|z_1 + z_2|^2 = |z_1|^2 + |z_2|^2 + 2\operatorname{Re}(z_1\overline{z}_2)$$

7. 
$$|z_1 - z_2|^2 = |z_1|^2 + |z_2|^2 - 2 \operatorname{Re}(z_1 \overline{z_2})$$

8. 
$$|z_1 + z_2| \le |z_1| + |z_2|$$

9. 
$$|z_1 - z_2| \ge |z_1| - |z_2|$$

10. 
$$|az_1 - bz_2|^2 + |bz_1 + az_2|^2 = (a^2 + b^2)(|z_1|^2 + |z_2|^2)$$
  
In particular:

$$|z_1 - z_2|^2 + |z_1 + z_2|^2 = 2(|z_1|^2 + |z_2|^2)$$

11. As stated earlier multiplicative inverse (reciprocal) of a complex number  $z = a + ib \ (\neq 0)$  is

$$\frac{1}{z} = \frac{a - ib}{a^2 + b^2} = \frac{\overline{z}}{\left|z\right|^2}$$

## **5.2 Argand Plane**

A complex number z = a + ib can be represented by a unique point P (a, b) in the cartesian plane referred to a pair of rectangular axes. The complex number 0 + 0i represent the origin 0 (0, 0). A purely real number a, i.e., (a+0i) is represented by the point (a, 0) on x - axis. Therefore, x-axis is called real axis. A purely imaginary number

ib, i.e., (0+ib) is represented by the point (0, b) on y-axis. Therefore, y-axis is called imaginary axis.

Similarly, the representation of complex numbers as points in the plane is known as **Argand diagram**. The plane representing complex numbers as points is called complex plane or Argand plane or Gaussian plane.

If two complex numbers  $z_1$  and  $z_2$  be represented by the points P and Q in the complex plane, then

$$|z_1 - z_2| = PQ$$

# 5.2.1 Polar form of a complex number

Let P be a point representing a non-zero complex number z = a + ib in the Argand plane. If OP makes an angle  $\theta$  with the positive direction of x-axis, then  $z = r (\cos \theta + i \sin \theta)$  is called the polar form of the complex number, where

$$r = |z| = \sqrt{a^2 + b^2}$$
 and  $\tan \theta = \frac{b}{a}$ . Here  $\theta$  is called argument or amplitude of  $z$  and we write it as  $\arg(z) = \theta$ .

The unique value of  $\theta$  such that  $-\pi \le \theta \le \pi$  is called the principal argument.

$$arg(z_1 \cdot z_2) = arg(z_1) + arg(z_2)$$

$$\arg\left(\frac{z_1}{z_2}\right) = \arg\left(z_1\right) - \arg\left(z_2\right)$$

#### 5.2.2 Solution of a quadratic equation

The equations  $ax^2 + bx + c = 0$ , where a, b and c are numbers (real or complex,  $a \ne 0$ ) is called the general quadratic equation in variable x. The values of the variable satisfying the given equation are called roots of the equation.

The quadratic equation  $ax^2 + bx + c = 0$  with real coefficients has two roots given

by 
$$\frac{-b+\sqrt{D}}{2a}$$
 and  $\frac{-b-\sqrt{D}}{2a}$ , where D= $b^2-4ac$ , called the discriminant of the equation.

#### Notes

1. When D = 0, roots of the quadratic equation are real and equal. When D > 0, roots are real and unequal.

Further, if  $a, b, c \in \mathbf{Q}$  and D is a perfect square, then the roots of the equation are rational and unequal, and if  $a, b, c \in \mathbf{Q}$  and D is not a perfect square, then the roots are irrational and occur in pair.

When D < 0, roots of the quadratic equation are non real (or complex).

2. Let  $\alpha$ ,  $\beta$  be the roots of the quadratic equation  $ax^2 + bx + c = 0$ , then sum of the roots

$$(\alpha + \beta) = \frac{-b}{a}$$
 and the product of the roots  $(\alpha \cdot \beta) = \frac{c}{a}$ .

3. Let S and P be the sum of roots and product of roots, respectively, of a quadratic equation. Then the quadratic equation is given by  $x^2 - Sx + P = 0$ .

## 5.2 Solved Exmaples

## **Short Answer Type**

**Example 1** Evaluate :  $(1 + i)^6 + (1 - i)^3$ 

Solution 
$$(1+i)^6 = \{(1+i)^2\}^3 = (1+i^2+2i)^3 = (1-1+2i)^3 = 8i^3 = -8i$$
  
and  $(1-i)^3 = 1-i^3-3i+3i^2 = 1+i-3i-3 = -2-2i$   
Therefore,  $(1+i)^6 + (1-i)^3 = -8i-2-2i = -2-10i$ 

**Example 2** If  $(x+iy)^{\frac{1}{3}} = a+ib$ , where  $x, y, a, b \in \mathbb{R}$ , show that  $\frac{x}{a} - \frac{y}{b} = -2(a^2 + b^2)$ 

Solution 
$$(x+iy)^{\frac{1}{3}} = a+ib$$
  
 $\Rightarrow x+iy = (a+ib)^3$   
i.e.,  $x+iy = a^3+i^3b^3+3iab\ (a+ib)$   
 $= a^3-ib^3+i3a^2b-3ab^2$   
 $= a^3-3ab^2+i\ (3a^2b-b^3)$   
 $\Rightarrow x=a^3-3ab^2\ \text{and}\ y=3a^2b-b^3$   
Thus  $a=a^2-3b^2\ \text{and}\ \frac{y}{b}=3a^2-b^2$ 

So, 
$$\frac{x}{a} - \frac{y}{b} = a^2 - 3b^2 - 3a^2 + b^2 = -2 \ a^2 - 2b^2 = -2 \ (a^2 + b^2).$$

**Example 3** Solve the equation  $z^2 = \frac{1}{7}$ , where z = x + iy

Solution 
$$z^2 = \overline{z}$$
  $\Rightarrow$   $x^2 - y^2 + i2xy = x - iy$   
Therefore,  $x^2 - y^2 = x$  ... (1) and  $2xy = -y$  ... (2)

From (2), we have y = 0 or  $x = -\frac{1}{2}$ 

When y = 0, from (1), we get  $x^2 - x = 0$ , i.e., x = 0 or x = 1.

When 
$$x = -\frac{1}{2}$$
, from (1), we get  $y^2 = \frac{1}{4} + \frac{1}{2}$  or  $y^2 = \frac{3}{4}$ , i.e.,  $y = \pm \frac{\sqrt{3}}{2}$ .

Hence, the solutions of the given equation are

$$0+i0, 1+i0, -\frac{1}{2}+i \frac{\sqrt{3}}{2}, -\frac{1}{2}-i \frac{\sqrt{3}}{2}.$$

**Example 4** If the imaginary part of  $\frac{2z+1}{iz+1}$  is -2, then show that the locus of the point representing z in the argand plane is a straight line.

**Solution** Let z = x + iy. Then

$$\frac{2z+1}{iz+1} = \frac{2(x+iy)+1}{i(x+iy)+1} = \frac{(2x+1)+i2y}{(1-y)+ix}$$
$$= \frac{\{(2x+1)+i2y\}}{\{(1-y)+ix\}} \times \frac{\{(1-y)-ix\}}{\{(1-y)-ix\}}$$
$$= \frac{(2x+1-y)+i(2y-2y^2-2x^2-x)}{1+y^2-2y+x^2}$$

Thus 
$$\operatorname{Im} \left( \frac{2z+1}{iz+1} \right) = \frac{2y-2y^2-2x^2-x}{1+y^2-2y+x^2}$$
But 
$$\operatorname{Im} \left( \frac{2z+1}{iz+1} \right) = -2 \qquad \text{(Given)}$$
So 
$$\frac{2y-2y^2-2x^2-x}{1+y^2-2y+x^2} = -2$$

$$\Rightarrow \qquad 2y-2y^2-2x^2-x = -2 \qquad -2y^2+4y-2x^2$$
i.e., 
$$x+2y-2=0, \text{ which is the equation of a line.}$$

**Example 5** If  $|z^2 - 1| = |z|^2 + 1$ , then show that z lies on imaginary axis.

**Solution** Let z = x + iy. Then  $|z^2 - 1| = |z|^2 + 1$ 

$$\Rightarrow |x^{2} - y^{2} - 1 + i 2xy| = |x + iy|^{2} + 1$$

$$\Rightarrow (x^{2} - y^{2} - 1)^{2} + 4x^{2}y^{2} = (x^{2} + y^{2} + 1)^{2}$$

$$\Rightarrow 4x^{2} = 0 \quad i.e., \quad x = 0$$

Hence z lies on y-axis.

**Example 6** Let  $z_1$  and  $z_2$  be two complex numbers such that  $\overline{z_1} + i\overline{z_2} = 0$  and arg  $(z_1, z_2) = \pi$ . Then find arg  $(z_1)$ .

**Solution** Given that  $\overline{z}_1 + i \overline{z}_2 = 0$ 

$$\Rightarrow z_1 = i z_2, \text{ i.e., } z_2 = -i z_1$$
Thus  $\arg(z_1 z_2) = \arg z_1 + \arg(-i z_1) = \pi$ 

$$\Rightarrow \arg(-i z_1^2) = \pi$$

$$\Rightarrow \arg(-i) + \arg(z_1^2) = \pi$$

$$\Rightarrow \arg(-i) + 2\arg(z_1) = \pi$$

$$\Rightarrow \frac{-\pi}{2} + 2\arg(z_1) = \pi$$

$$\Rightarrow \arg(z_1) = \frac{3\pi}{4}$$

**Example 7** Let  $z_1$  and  $z_2$  be two complex numbers such that  $|z_1 + z_2| = |z_1| + |z_2|$ .

Then show that  $arg(z_1) - arg(z_2) = 0$ .

Solution Let 
$$z_1 = r_1 (\cos \theta_1 + i \sin \theta_1)$$
 and  $z_2 = r_2 (\cos \theta_2 + i \sin \theta_2)$   
where  $r_1 = |z_1|$ , arg  $(z_1) = \theta_1$ ,  $r_2 = |z_2|$ , arg  $(z_2) = \theta_2$ .  
We have,  $|z_1 + z_2| = |z_1| + |z_2|$   
 $= |r_1 (\cos \theta_1 + \cos \theta_2) + r_2 (\cos \theta_2 + \sin \theta_2)| = r_1 + r_2$   
 $= r_1^2 + r_2^2 + 2r_1r_2 \cos(\theta_1 - \theta_2) = (r_1 + r_2)^2 \implies \cos(\theta_1 - \theta_2) = 1$   
 $\implies \theta_1 - \theta_2$  i.e. arg  $z_1 = \arg z_2$ 

**Example 8** If  $z_1$ ,  $z_2$ ,  $z_3$  are complex numbers such that

$$|z_1| = |z_2| = |z_3| = \left|\frac{1}{z_1} + \frac{1}{z_2} + \frac{1}{z_3}\right| = 1$$
, then find the value of  $|z_1 + z_2 + z_3|$ .

**Solution** 
$$|z_1| = |z_2| = |z_3| = 1$$

$$\Rightarrow |z_{1}|^{2} = |z_{2}|^{2} = |z_{3}|^{2} = 1$$

$$\Rightarrow z_{1} \overline{z}_{1} = z_{2} \overline{z}_{2} = z_{3} \overline{z}_{3} = 1$$

$$\Rightarrow \overline{z}_{1} = \frac{1}{z_{1}}, \overline{z}_{2} = \frac{1}{z_{2}}, \overline{z}_{3} = \frac{1}{z_{3}}$$
Given that
$$\left| \frac{1}{z_{1}} + \frac{1}{z_{2}} + \frac{1}{z_{3}} \right| = 1$$

$$\Rightarrow |\overline{z}_{1} + \overline{z}_{2} + \overline{z}_{3}| = 1, \text{ i.e., } |\overline{z}_{1} + \overline{z}_{2} + \overline{z}_{3}| = 1$$

$$\Rightarrow |z_{1} + z_{2} + z_{3}| = 1$$

**Example 9** If a complex number z lies in the interior or on the boundary of a circle of radius 3 units and centre (-4, 0), find the greatest and least values of |z+1|.

Solution Distance of the point representing z from the centre of the circle is |z-(-4+i0)| = |z+4|.

According to given condition  $|z+4| \le 3$ .

Now 
$$|z+1| = |z+4-3| \le |z+4| + |-3| \le 3+3=6$$

Therefore, greatest value of |z + 1| is 6.

Since least value of the modulus of a complex number is zero, the least value of |z+1|=0.

**Example 10** Locate the points for which 3 < |z| < 4

**Solution**  $|z| < 4 \Rightarrow x^2 + y^2 < 16$  which is the interior of circle with centre at origin and radius 4 units, and  $|z| > 3 \Rightarrow x^2 + y^2 > 9$  which is exterior of circle with centre at origin and radius 3 units. Hence 3 < |z| < 4 is the portion between two circles  $x^2 + y^2 = 9$  and  $x^2 + y^2 = 16$ .

**Example 11** Find the value of  $2x^4 + 5x^3 + 7x^2 - x + 41$ , when  $x = -2 - \sqrt{3}i$ 

Solution 
$$x + 2 = -\sqrt{3}i \implies x^2 + 4x + 7 = 0$$
  
Therefore  $2x^4 + 5x^3 + 7x^2 - x + 41 = (x^2 + 4x + 7)(2x^2 - 3x + 5) + 6$   
 $= 0 \times (2x^2 - 3x + 5) + 6 = 6$ 

**Example 12** Find the value of P such that the difference of the roots of the equation  $x^2 - Px + 8 = 0$  is 2.

**Solution** Let  $\alpha$ ,  $\beta$  be the roots of the equation  $x^2 - Px + 8 = 0$ 

Therefore  $\alpha + \beta = P$  and  $\alpha \cdot \beta = 8$ .

Now 
$$\alpha - \beta = \pm \sqrt{(\alpha + \beta)^2 - 4\alpha\beta}$$

Therefore 
$$2 = \pm \sqrt{P^2 - 32}$$

$$\Rightarrow$$
 P<sup>2</sup> - 32 = 4, i.e., P =  $\pm$  6.

**Example 13** Find the value of a such that the sum of the squares of the roots of the equation  $x^2 - (a-2)x - (a+1) = 0$  is least.

**Solution** Let  $\alpha$ ,  $\beta$  be the roots of the equation

Therefore, 
$$\alpha + \beta = a - 2$$
 and  $\alpha\beta = -(a + 1)$ 

Now 
$$\alpha^2 + \beta^2 = (\alpha + \beta)^2 - 2\alpha\beta$$
  
=  $(a-2)^2 + 2(a+1)$ 

$$=(a-1)^2+5$$

Therefore,  $\alpha^2 + \beta^2$  will be minimum if  $(a-1)^2 = 0$ , i.e., a = 1.

#### **Long Answer Type**

**Example 14** Find the value of k if for the complex numbers  $z_1$  and  $z_2$ ,

$$\left|1 - \overline{z_1}z_2\right|^2 - \left|z_1 - z_2\right|^2 = k(1 - \left|z_1\right|^2)(1 - \left|z_2\right|^2)$$

**Solution** 

L.H.S. = 
$$|1 - \overline{z_1} z_2|^2 - |z_1 - z_2|^2$$
  
=  $(1 - \overline{z_1} z_2) (\overline{1 - \overline{z_1} z_2}) - (z_1 - z_2) (\overline{z_1 - z_2})$   
=  $(1 - \overline{z_1} z_2) (1 - z_1 \overline{z_2}) - (z_1 - z_2) (\overline{z_1} - \overline{z_2})$   
=  $1 + z_1 \overline{z_1} z_2 \overline{z_2} - z_1 \overline{z_1} - z_2 \overline{z_2}$   
=  $1 + |z_1|^2 \cdot |z_2|^2 - |z_1|^2 - |z_2|^2$   
=  $(1 - |z_1|^2) (1 - |z_2|^2)$   
R.H.S. =  $k (1 - |z_1|^2) (1 - |z_2|^2)$ 

$$\Rightarrow$$
  $k = 1$ 

Hence, equating LHS and RHS, we get k = 1.

**Example 15** If  $z_1$  and  $z_2$  both satisfy  $z + \overline{z} = 2|z-1|$  arg  $(z_1 - z_2) = \frac{\pi}{4}$ , then find Im  $(z_1 + z_2)$ .

**Solution** Let z = x + iy,  $z_1 = x_1 + iy_1$  and  $z_2 = x_2 + iy_2$ .

Then 
$$z + \overline{z} = 2|z-1|$$

$$\Rightarrow (x+iy) + (x-iy) = 2|x-1+iy|$$

$$\Rightarrow \qquad 2x = 1 + y^2 \qquad \dots (1)$$

Since  $z_1$  and  $z_2$  both satisfy (1), we have

$$2x_1 = 1 + y_1^2 \dots$$
 and  $2x_2 = 1 + y_2^2$ 

$$\Rightarrow 2 (x_1 - x_2) = (y_1 + y_2) (y_1 - y_2)$$

$$\Rightarrow \qquad 2 = (y_1 + y_2) \left( \frac{y_1 - y_2}{x_1 - x_2} \right) \qquad \dots (2)$$

Again 
$$z_1 - z_2 = (x_1 - x_2) + i(y_1 - y_2)$$

Therefore, 
$$\tan \theta = \frac{y_1 - y_2}{x_1 - x_2}$$
, where  $\theta = \arg (z_1 - z_2)$ 

$$\Rightarrow \tan \frac{\pi}{4} = \frac{y_1 - y_2}{x_1 - x_2} \qquad \left( \text{since } \theta = \frac{\pi}{4} \right)$$

i.e., 
$$1 = \frac{y_1 - y_2}{x_1 - x_2}$$

From (2), we get  $2 = y_1 + y_2$ , i.e., Im  $(z_1 + z_2) = 2$ 

## **Objective Type Questions**

**Example 16** Fill in the blanks:

- (i) The real value of 'a' for which  $3i^3 2at^2 + (1-a)i + 5$  is real is \_\_\_\_\_.
- (ii) If |z| = 2 and arg  $(z) = \frac{\pi}{4}$ , then z =\_\_\_\_\_.
- (iii) The locus of z satisfying arg  $(z) = \frac{\pi}{3}$  is \_\_\_\_\_.
- (iv) The value of  $(-\sqrt{-1})^{4n-3}$ , where  $n \in \mathbb{N}$ , is \_\_\_\_\_.

- (v) The conjugate of the complex number  $\frac{1-i}{1+i}$  is \_\_\_\_\_.
- (vi) If a complex number lies in the third quadrant, then its conjugate lies in the
- (vii) If (2+i)(2+2i)(2+3i)...(2+ni) = x+iy, then 5.8.13 ...  $(4+n^2) = \underline{\hspace{1cm}}$ .

#### **Solution**

(i) 
$$3i^3 - 2ai^2 + (1-a)i + 5 = -3i + 2a + 5 + (1-a)i$$
  
=  $2a + 5 + (-a-2)i$ , which is real if  $-a - 2 = 0$  i.e.  $a = -2$ .

(ii) 
$$z = |z| \left(\cos\frac{\pi}{4} + i\sin\frac{\pi}{4}\right) = 2\left(\frac{1}{\sqrt{2}} + i\frac{1}{\sqrt{2}}\right) = \sqrt{2}(1+i)$$

(iii) Let z = x + iy. Then its polar form is  $z = r(\cos \theta + i \sin \theta)$ , where  $\tan \theta = \frac{y}{x}$  and

 $\theta$  is arg (z). Given that  $\theta = \frac{\pi}{3}$ . Thus.

$$\tan \frac{\pi}{3} = \frac{y}{x} \implies y = \sqrt{3}x$$
, where  $x > 0$ ,  $y > 0$ .

Hence, locus of z is the part of  $y = \sqrt{3}x$  in the first quadrant except origin.

(iv) Here 
$$(-\sqrt{-1})^{4n-3} = (-i)^{4n-3} = (-i)^{4n} (-i)^{-3} = \frac{1}{(-i)^3}$$

$$= \frac{1}{-i^3} = \frac{1}{i} = \frac{i}{i^2} = -i$$

(v) 
$$\frac{1-i}{1+i} = \frac{1-i}{1+i} \times \frac{1-i}{1-i} = \frac{1+i^2-2i}{1-i^2} = \frac{1-1-2i}{1+1} = -i$$

Hence, conjugate of  $\frac{1-i}{1+i}$  is *i*.

(vi) Conjugate of a complex number is the image of the complex number about the *x*-axis. Therefore, if a number lies in the third quadrant, then its image lies in the second quadrant.

(vii) Given that 
$$(2+i)(2+2i)(2+3i)...(2+ni) = x+iy$$
 ... (1)

$$\Rightarrow \qquad (\overline{2+i}) \ (\overline{2+2i}) \ (\overline{2+3i}) \dots (\overline{2+ni}) = \left(\overline{x+iy}\right) = (x-iy)$$

i.e., 
$$(2-i)(2-2i)(2-3i)...(2-ni) = x-iy$$
 ... (2)

Multiplying (1) and (2), we get 5.8.13 ...  $(4 + n^2) = x^2 + y^2$ .

## **Example 17** State true or false for the following:

- (i) Multiplication of a non-zero complex number by i rotates it through a right angle in the anti- clockwise direction.
- (ii) The complex number  $\cos\theta + i \sin\theta$  can be zero for some  $\theta$ .
- (iii) If a complex number coincides with its conjugate, then the number must lie on imaginary axis.
- (iv) The argument of the complex number  $z = (1 + i\sqrt{3})(1 + i)(\cos \theta + i \sin \theta)$  is  $\frac{7\pi}{12} + \theta$
- (v) The points representing the complex number z for which |z+1| < |z-1| lies in the interior of a circle.
- (vi) If three complex numbers  $z_1$ ,  $z_2$  and  $z_3$  are in A.P., then they lie on a circle in the complex plane.
- (vii) If n is a positive integer, then the value of  $i^n + (i)^{n+1} + (i)^{n+2} + (i)^{n+3}$  is 0.

#### **Solution**

- (i) True. Let z = 2 + 3i be complex number represented by OP. Then iz = -3 + 2i, represented by OQ, where if OP is rotated in the anticlockwise direction through a right angle, it coincides with OQ.
- (ii) False. Because  $\cos\theta + i\sin\theta = 0 \Rightarrow \cos\theta = 0$  and  $\sin\theta = 0$ . But there is no value of  $\theta$  for which  $\cos\theta$  and  $\sin\theta$  both are zero.
- (iii) False, because  $x + iy = x iy \Rightarrow y = 0 \Rightarrow$  number lies on x-axis.
- (iv) True,  $\arg(z) = \arg(1 + i\sqrt{3}) + \arg(1 + i) + \arg(\cos\theta + i\sin\theta)$  $\frac{\pi}{3} + \frac{\pi}{4} + \theta = \frac{7\pi}{12} + \theta$
- (v) False, because |x+iy+1| < |x+iy-1| $\Rightarrow$   $(x+1)^2 + y^2 < (x-1)^2 + y^2$  which gives 4x < 0.
- (vi) False, because if  $z_1$ ,  $z_2$  and  $z_3$  are in A.P., then  $z_2 = \frac{z_1 + z_3}{2} \Rightarrow z_2$  is the midpoint of  $z_1$  and  $z_3$ , which implies that the points  $z_1$ ,  $z_2$ ,  $z_3$  are collinear.
- (vii) True, because  $i^n + (i)^{n+1} + (i)^{n+2} + (i)^{n+3}$  $= i^n (1 + i + i^2 + i^3) = i^n (1 + i - 1 - i)$  $=i^{n}(0)=0$

# **Example 18** Match the statements of column A and B.

#### Column B

- (a) The value of  $1+i^2+i^4+i^6+...i^{20}$  is (i) purely imaginary complex number
- (b) The value of  $i^{-1097}$  is
- (ii) purely real complex number
- (c) Conjugate of 1+i lies in
- (iii) second quadrant

(d)  $\frac{1+2i}{1-i}$  lies in

- (iv) Fourth quadrant
- (e) If  $a, b, c \in \mathbb{R}$  and  $b^2 4ac < 0$ , then the roots of the equation  $ax^2 + bx + c = 0$  are non real (complex) and
- (v) may not occur in conjugate pairs
- (f) If  $a, b, c \in \mathbb{R}$  and  $b^2 4ac > 0$ , and  $b^2 - 4ac$  is a perfect square, then the roots of the equation  $ax^2 + bx + c = 0$
- (vi) may occur in conjugate pairs

#### **Solution**

- (a)  $\Leftrightarrow$  (ii), because  $1 + i^2 + i^4 + i^6 + ... + i^{20}$ = 1 - 1 + 1 - 1 + ... + 1 = 1 (which is purely a real complex number)
- (b)  $\Leftrightarrow$  (i), because  $i^{-1097} = \frac{1}{(i)^{1097}} = \frac{1}{i^{4 \times 274 + 1}} = \frac{1}{\{(i)^4\}^{274}(i)} = \frac{1}{i} = \frac{i}{i^2} = -i$

which is purely imaginary complex number.

- (c)  $\Leftrightarrow$  (iv), conjugate of 1 + i is 1 i, which is represented by the point (1, -1) in the fourth quadrant.
- (d)  $\Leftrightarrow$  (iii), because  $\frac{1+2i}{1-i} = \frac{1+2i}{1-i} \times \frac{1+i}{1+i} = \frac{-1+3i}{2} = -\frac{1}{2} + \frac{3}{2}i$ , which is represented by the point  $\left(-\frac{1}{2}, \frac{3}{2}\right)$  in the second quadrant.
- (e)  $\Leftrightarrow$  (vi), If  $b^2 4ac < 0 = D < 0$ , i.e., square root of D is a imaginary number, therefore, roots are  $x = \frac{-b \pm \text{Imaginary Number}}{2a}$ , i.e., roots are in conjugate pairs.

(f) 
$$\Leftrightarrow$$
 (v), Consider the equation  $x^2 - (5 + \sqrt{2}) x + 5 \sqrt{2} = 0$ , where  $a = 1$ ,  $b = -(5 + \sqrt{2})$ ,  $c = 5\sqrt{2}$ , clearly  $a, b, c \in \mathbb{R}$ .  
Now  $D = b^2 - 4ac = \{-(5 + \sqrt{2})\}^2 - 4.1.5\sqrt{2} = (5 - \sqrt{2})^2$ .

Therefore  $x = \frac{5 + \sqrt{2} \pm 5 - \sqrt{2}}{2} = 5$ ,  $\sqrt{2}$  which do not form a conjugate pair.

**Example 19** What is the value of  $\frac{i^{4n+1}-i^{4n-1}}{2}$ ?

Solution *i*, because  $\frac{i^{4n+1}-i^{4n-1}}{2} = \frac{i^{4n}i-i^{4n}i^{-i}}{2}$ 

$$=\frac{i-\frac{1}{i}}{2}=\frac{i^2-1}{2i}=\frac{-2}{2i}=i$$

**Example 20** What is the smallest positive integer n, for which  $(1+i)^{2n} = (1-i)^{2n}$ ?

Solution 
$$n = 2$$
, because  $(1 + i)^{2n} = (1 - i)^{2n} = \left(\frac{1 + i}{1 - i}\right)^{2n} = 1$ 

$$\Rightarrow \qquad (i)^{2n} = 1 \text{ which is possible if } n = 2 \qquad (\therefore i^4 = 1)$$

Example 21 What is the reciprocal of  $3 + \sqrt{7}i$ 

Solution Reciprocal of  $z = \frac{z}{|z|^2}$ 

Therefore, reciprocal of 3 +  $\sqrt{7}$   $i = \frac{3 - \sqrt{7}i}{16} = \frac{3}{16} - \frac{\sqrt{7}i}{16}$ 

**Example 22** If  $z_1 = \sqrt{3} + i\sqrt{3}$  and  $z_2 = \sqrt{3} + i$ , then find the quadrant in which

$$\left(\frac{z_1}{z_2}\right)$$
 lies.

Solution 
$$\frac{z_1}{z_2} = \frac{\sqrt{3} + i\sqrt{3}}{\sqrt{3} + i} = \left(\frac{3 + \sqrt{3}}{4}\right) + \left(\frac{3 - \sqrt{3}}{4}\right)i$$

which is represented by a point in first quadrant.

Example 23 What is the conjugate of  $\frac{\sqrt{5+12i} + \sqrt{5-12i}}{\sqrt{5+12i} - \sqrt{5-12i}}$ ?

**Solution** Let

$$z = \frac{\sqrt{5+12i} + \sqrt{5-12i}}{\sqrt{5+12i} - \sqrt{5-12i}} \times \frac{\sqrt{5+12i} + \sqrt{5-12i}}{\sqrt{5+12i} + \sqrt{5-12i}}$$
$$= \frac{5+12i+5-12i+2\sqrt{25+144}}{5+12i-5+12i}$$
$$= \frac{3}{2i} = \frac{3i}{-2} = 0 - \frac{3}{2}i$$

Therefore, the conjugate of  $z = 0 + \frac{3}{2}i$ 

Example 24 What is the principal value of amplitude of 1 - i? **Solution** Let  $\theta$  be the principle value of amplitude of 1 - i. Since

$$\tan \theta = -1 \Rightarrow \tan \theta = \tan \left(-\frac{\pi}{4}\right) \Rightarrow \theta = -\frac{\pi}{4}$$

**Example 25** What is the polar form of the complex number  $(i^{25})^3$ ?

Solution 
$$z = (i^{25})^3 = (i)^{75} = i^{4 \times 18 + 3} = (i^4)^{18} (i)^3$$
  
=  $i^3 = -i = 0 - i$ 

Polar form of  $z = r(\cos \theta + i \sin \theta)$ 

$$= 1 \left\{ \cos \left( -\frac{\pi}{2} \right) + i \sin \left( -\frac{\pi}{2} \right) \right\}$$
$$= \cos \frac{\pi}{2} - i \sin \frac{\pi}{2}$$

**Example 26** What is the locus of z, if amplitude of z - 2 - 3i is  $\frac{\pi}{4}$ ? **Solution** Let z = x + iy. Then z - 2 - 3i = (x - 2) + i(y - 3)

Let  $\theta$  be the amplitude of z - 2 - 3i. Then  $\tan \theta = \frac{y - 3}{z - 2}$ 

$$\Rightarrow \tan \frac{\pi}{4} = \frac{y-3}{x-2} \left( \operatorname{since} \theta = \frac{\pi}{4} \right)$$

$$\Rightarrow$$
  $1 = \frac{y-3}{x-2}$  i.e.  $x-y+1=0$ 

Hence, the locus of z is a straight line.

**Example 27** If 1-i, is a root of the equation  $x^2 + ax + b = 0$ , where  $a, b \in \mathbb{R}$ , then find the values of a and b.

Solution Sum of roots 
$$\frac{-a}{1} = (1-i) + (1+i) \Rightarrow a = -2$$
.

(since non real complex roots occur in conjugate pairs)

Product of roots, 
$$\frac{b}{1} = (1-i)(1+i) \Rightarrow b = 2$$

Choose the correct options out of given four options in each of the Examples from 28 to 33 (M.C.Q.).

**Example 28**  $1 + i^2 + i^4 + i^6 + ... + i^{2n}$  is

(A) positive

(B) negative

(C) 0

(D) can not be evaluated

**Solution** (D), 
$$1 + i^2 + i^4 + i^6 + ... + i^{2n} = 1 - 1 + 1 - 1 + ... (-1)^n$$

which can not be evaluated unless n is known.

**Example 29** If the complex number z = x + iy satisfies the condition |z+1| = 1, then z lies on

- (A) x-axis
- (B) circle with centre (1, 0) and radius 1
- (C) circle with centre (-1, 0) and radius 1
- (D) y-axis

Solution (C), 
$$|z+1|=1 \Rightarrow |(x+1)+iy|=1$$

$$\Rightarrow (x+1)^2 + y^2 = 1$$

which is a circle with centre (-1, 0) and radius 1.

**Example 30** The area of the triangle on the complex plane formed by the complex numbers z, -iz and z + iz is:

(A)  $|z|^2$ 

(B)  $|\overline{z}|^2$ 

(D) none of these

**Solution** (C), Let z = x + iy. Then -iz = y - ix. Therefore, z + iz = (x - y) + i(x + y)

Required area of the triangle =  $\frac{1}{2}(x^2 + y^2) = \frac{|z|^2}{2}$ 

**Example 31** The equation |z+1-i| = |z-1+i| represents a

(A) straight line

(B) circle

(C) parabola

(D) hyperbola

**Solution** (A), |z+1-i| = |z-1+i|

$$\Rightarrow |z - (-1+i)| = |z - (1-i)|$$

- PA = PB, where A denotes the point (-1, 1), B denotes the point (1, -1) and P denotes the point (x, y)
- z lies on the perpendicular bisector of the line joining A and B and perpendicular  $\Rightarrow$ bisector is a straight line.

**Example 32** Number of solutions of the equation  $z^2 + |z|^2 = 0$  is

(A) 1

(C) 3

(D) infinitely many

**Solution** (D),  $z^2 + |z|^2 = 0$ ,  $z \ne 0$ 

$$\Rightarrow x^2 - y^2 + i2xy + x^2 + y^2 = 0$$

$$\Rightarrow 2x^2 + i2xy = 0 \Rightarrow 2x(x + iy) = 0$$

$$\Rightarrow$$
  $x = 0$  or  $x + iy = 0$  (not possible)

Therefore, x = 0 and  $z \neq 0$ 

So y can have any real value. Hence infinitely many solutions.

**Example 33** The amplitude of  $\sin \frac{\pi}{5} + i (1 - \cos \frac{\pi}{5})$  is

(A)  $\frac{2\pi}{5}$  (B)  $\frac{\pi}{5}$  (C)  $\frac{\pi}{15}$  (D)  $\frac{\pi}{10}$ 

Solution (D), Here  $r \cos \theta = \sin \left(\frac{\pi}{5}\right)$  and  $r \sin \theta = 1 - \cos \frac{\pi}{5}$ 

Therefore, 
$$\tan \theta = \frac{1 - \cos \frac{\pi}{5}}{\sin \frac{\pi}{5}} = \frac{2 \sin^2 \left(\frac{\pi}{10}\right)}{2 \sin \left(\frac{\pi}{10}\right) \cdot \cos \left(\frac{\pi}{10}\right)}$$

$$\Rightarrow \tan \theta = \tan \left(\frac{\pi}{10}\right) \text{ i.e., } \theta = \frac{\pi}{10}$$

# **5.3 EXERCISE**

## **Short Answer Type**

- 1. For a positive integer *n*, find the value of  $(1-i)^n \left(1-\frac{1}{i}\right)^n$
- 2. Evaluate  $\sum_{n=1}^{13} (i^n + i^{n+1})$ , where  $n \in \mathbb{N}$ .
- 3. If  $\left(\frac{1+i}{1-i}\right)^3 \left(\frac{1-i}{1+i}\right)^3 = x + iy$ , then find (x, y).
- 4. If  $\frac{(1+i)^2}{2-i} = x + iy$ , then find the value of x + y.
- 5. If  $\left(\frac{1-i}{1+i}\right)^{100} = a+ib$ , then find (a, b).
- 6. If  $a = \cos \theta + i \sin \theta$ , find the value of  $\frac{1+a}{1-a}$ .
- 7. If (1+i) z = (1-i)  $\overline{z}$ , then show that  $z = -i\overline{z}$ .
- **8.** If z = x + iy, then show that  $z(\overline{z} + 2(z + \overline{z}) + b = 0$ , where  $b \in \mathbb{R}$ , represents a circle.
- 9. If the real part of  $\frac{\overline{z}+2}{\overline{z}-1}$  is 4, then show that the locus of the point representing z in the complex plane is a circle.
- 10. Show that the complex number z, satisfying the condition  $\arg\left(\frac{z-1}{z+1}\right) = \frac{\pi}{4}$  lies on a circle.
- 11. Solve the equation |z| = z + 1 + 2i.

# **Long Answer Type**

- 12. If |z+1| = z + 2(1+i), then find z.
- **13.** If arg  $(z 1) = \arg(z + 3i)$ , then find x 1 : y. where z = x + iy
- 14. Show that  $\left| \frac{z-2}{z-3} \right| = 2$  represents a circle. Find its centre and radius.
- 15. If  $\frac{z-1}{z+1}$  is a purely imaginary number  $(z \neq -1)$ , then find the value of |z|.
- 16.  $z_1$  and  $z_2$  are two complex numbers such that  $|z_1| = |z_2|$  and arg  $(z_1) + \arg(z_2) = \pi$ , then show that  $z_1 = -\overline{z}_2$ .
- 17. If  $|z_1| = 1$  ( $z_1 \neq -1$ ) and  $z_2 = \frac{z_1 1}{z_1 + 1}$ , then show that the real part of  $z_2$  is zero.

  18. If  $z_1, z_2$  and  $z_3, z_4$  are two pairs of conjugate complex numbers, then find
- 18. If  $z_1$ ,  $z_2$  and  $z_3$ ,  $z_4$  are two pairs of conjugate complex numbers, then find  $\arg\left(\frac{z_1}{z_4}\right) + \arg\left(\frac{z_2}{z_4}\right)$ .
- 19. If  $|z_1| = |z_2| = \dots = |z_n| = 1$ , then show that  $|z_1 + z_2 + z_3 + \dots + z_n| = \left| \frac{1}{z_1} + \frac{1}{z_2} + \frac{1}{z_3} + \dots + \frac{1}{z_n} \right|$ .
- **20.** If for complex numbers  $z_1$  and  $z_2$ , arg  $(z_1)$  arg  $(z_2)$  = 0, then show that  $|z_1-z_2|=|z_1|-|z_2|$
- **21.** Solve the system of equations Re  $(z^2) = 0$ , |z|=2.
- 22. Find the complex number satisfying the equation  $z + \sqrt{2} |(z+1)| + i = 0$ .
- 23. Write the complex number  $z = \frac{1-i}{\cos \frac{\pi}{3} + i \sin \frac{\pi}{3}}$  in polar form.
- 24. If z and w are two complex numbers such that |zw|=1 and arg (z) arg  $(w)=\frac{\pi}{2}$ , then show that  $\overline{z}w=-i$ .

#### 9.

# **Objective Type Questions**

- 25. Fill in the blanks of the following
  - (i) For any two complex numbers  $z_1$ ,  $z_2$  and any real numbers a, b,  $|az_1 bz_2|^2 + |bz_1 + az_2|^2 = \dots$
  - (ii) The value of  $\sqrt{-25} \times \sqrt{-9}$  is .....
  - (iii) The number  $\frac{(1-i)^3}{1-i^3}$  is equal to .....
  - (iv) The sum of the series  $i + i^2 + i^3 + \dots$  upto 1000 terms is ........
  - (v) Multiplicative inverse of 1 + i is .....
  - (vi) If  $z_1$  and  $z_2$  are complex numbers such that  $z_1 + z_2$  is a real number, then  $z_2 = ....$
  - (vii)  $arg(z) + arg(\overline{z}) (\overline{z} \neq 0)$  is .....
  - (viii) If  $|z+4| \le 3$ , then the greatest and least values of |z+1| are ..... and .....
  - (ix) If  $\left| \frac{z-2}{z+2} \right| = \frac{\pi}{6}$ , then the locus of z is ...........
  - (x) If |z| = 4 and arg  $(z) = \frac{5\pi}{6}$ , then z = ...
- **26.** State True or False for the following:
  - (i) The order relation is defined on the set of complex numbers.
  - (ii) Multiplication of a non zero complex number by -i rotates the point about origin through a right angle in the anti-clockwise direction.
  - (iii) For any complex number z the minimum value of |z| + |z-1| is 1.
  - (iv) The locus represented by |z-1| = |z-i| is a line perpendicular to the join of (1,0) and (0,1).
  - (v) If z is a complex number such that  $z \neq 0$  and Re (z) = 0, then Im  $(z^2) = 0$ .
  - (vi) The inequality |z-4| < |z-2| represents the region given by x > 3.

- (vii) Let  $z_1$  and  $z_2$  be two complex numbers such that  $|z_1 + z_2| = |z_1| + |z_2|$ , then arg  $(z_1 z_2) = 0$ .
- (viii) 2 is not a complex number.
- 27. Match the statements of Column A and Column B.

#### Column A

#### Column B

- (a) The polar form of  $i + \sqrt{3}$  is (i) Perpendicular bisector of segment joining (-2, 0) and (2, 0)
- (b) The amplitude of  $-1 + \sqrt{-3}$  is (ii) On or outside the circle having centre at (0, -4) and radius 3.
- (c) If |z+2|=|z-2|, then (iii)  $\frac{2\pi}{3}$  locus of z is
- (d) If |z+2i|=|z-2i|, then (iv) Perpendicular bisector of segment locus of z is joining (0, -2) and (0, 2).
- (e) Region represented by  $(v) \quad 2 \left( \cos \frac{\pi}{6} + i \sin \frac{\pi}{6} \right)$ 
  - $|z+4i| \ge 3$  is Region represented
- (f) Region represented by (vi) On or inside the circle having centre  $|z+4| \le 3$  is (-4, 0) and radius 3 units.
- (g) Conjugate of  $\frac{1+2i}{1-i}$  lies in (vii) First quadrant
- (h) Reciprocal of 1 i lies in (viii) Third quadrant
- 28. What is the conjugate of  $\frac{2-i}{(1-2i)^2}$ ?
- **29.** If  $|z_1| = |z_2|$ , is it necessary that  $z_1 = z_2$ ?
- 30. If  $\frac{(a^2+1)^2}{2a-i} = x + iy$ , what is the value of  $x^2 + y^2$ ?

- 31. Find z if |z| = 4 and arg  $(z) = \frac{5\pi}{6}$ .
- 32. Find  $(1+i)\frac{(2+i)}{(3+i)}$
- 33. Find principal argument of  $(1 + i\sqrt{3})^2$ .
- 34. Where does z lie, if  $\left| \frac{z-5i}{z+5i} \right| = 1$ .

Choose the correct answer from the given four options indicated against each of the Exercises from 35 to 50 (M.C.Q)

35.  $\sin x + i \cos 2x$  and  $\cos x - i \sin 2x$  are conjugate to each other for:

(A) 
$$x = n\pi$$

(B) 
$$x = \left(n + \frac{1}{2}\right) \frac{\pi}{2}$$

(C) 
$$x = 0$$

(D) No value of 
$$x$$

36. The real value of  $\alpha$  for which the expression  $\frac{1-i\sin\alpha}{1+2i\sin\alpha}$  is purely real is:

(A) 
$$(n+1)\frac{\pi}{2}$$

(B) 
$$(2n+1) \frac{\pi}{2}$$

$$(C)$$
  $n\pi$ 

(D) None of these, where 
$$n \in \mathbb{N}$$

37. If z = x + iy lies in the third quadrant, then  $\frac{\overline{z}}{z}$  also lies in the third quadrant if

(A) 
$$x > y > 0$$

(B) 
$$x < y < 0$$

(C) 
$$y < x < 0$$

(D) 
$$y > x > 0$$

38. The value of  $(z+3)(\overline{z}+3)$  is equivalent to

(A) 
$$|z+3|^2$$

(B) 
$$|z-3|$$

(C) 
$$z^2 + 3$$

39. If 
$$\left(\frac{1+i}{1-i}\right)^x = 1$$
, then

(A) 
$$x = 2n+1$$

(B) 
$$x = 4n$$

(C) 
$$x = 2n$$

(D) 
$$x = 4n + 1$$
, where  $n \in \mathbb{N}$ 

40.		$\left(\frac{3-4ix}{3+4ix}\right) = \alpha -$	<i>i</i> β (α	$\beta \in \mathbf{R}$					
	if $\alpha^2 + \beta^2$	=							
44	(A) 1	4 6 11	(B)			(C)		(D)	
41.	Which of the following is correct for any two complex numbers $z_1$ and $z_2$ ?								
	$(A)  z_1 z_2 $	$=  z_1  z_2 $				(B)	$\arg (z_1 z_2) = \arg$	$(z_1).$	$arg(z_2)$
	(C) $ z_1 +$	$ z_2  =  z_1  +$	$ z_2 $			(D)	$\left  z_1 + z_2 \right  \ge \left  z_1 \right  -$	$ z_2 $	
42.	The point r	t represented by the complex number $2-i$ is rotated about orig						origin	through
	an angle $\frac{\pi}{2}$ in the clockwise direction, the new position of point is:								
	(A) $1+2$	i	(B)	-1 - 2i		(C)	2+i	(D)	-1 + 2
43.	Let $x, y \in \mathbf{R}$ , then $x + iy$ is a non real complex number if: (A) $x = 0$ (B) $y = 0$ (C) $x \neq 0$ (D) $y \neq 0$								
	(A)  x = 0	)	(B)	y = 0		(C)	$x \neq 0$	(D)	$y \neq 0$
44.	If $a + ib =$	c + id, the	en						
	(A) $a^2 + a^2 + $	$c^2 = 0$				(B)	$b^2 + c^2 = 0$		
	(C) $b^2 +$	$d^2 = 0$				(D)	$a^2 + b^2 = c^2 + a$	$d^2$	
45.	The complex number z which satisfies the condition $\left  \frac{i+z}{i-z} \right  = 1$ lies on								
	(A) circle	$e^{x^2 + y^2} =$	1			(B)	the <i>x</i> -axis		
	(C) the y	-axis				(D)	the line $x + y =$	1.	
46.	If $z$ is a con	mplex nun	nber, t	hen					
	(A) $ z^2 $	$ z ^2$				(B)	$\left z^{2}\right  = \left z\right ^{2}$		
	(C) $ z^2 $	$ z ^2$				(D)	$\left z^2\right  \ge \left z\right ^2$		
47.	$ z_1 + z_2  =  z $	$ z_1  +  z_2 $ is j	possił	ole if					
	(A) $z_2 = \frac{1}{2}$	$\overline{z}_1$				(B)	$z_2 = \frac{1}{z_1}$		
	(C) arg (	$z_1$ ) = arg (	$z_2$ )			(D)	$ z_1  =  z_2 $		

48. The real value of  $\theta$  for which the expression  $\frac{1+i\cos\theta}{1-2i\cos\theta}$  is a real number is:

(A) 
$$n\pi + \frac{\pi}{4}$$

(B) 
$$n\pi + (-1)^n \frac{\pi}{4}$$

(C) 
$$2n\pi \pm \frac{\pi}{2}$$

(D) none of these.

**49.** The value of arg (x) when x < 0 is:

(B) 
$$\frac{\pi}{2}$$

(D) none of these

**50.** If 
$$f(z) = \frac{7-z}{1-z^2}$$
, where  $z = 1 + 2i$ , then  $|f(z)|$  is

(A) 
$$\frac{|z|}{2}$$

(B) 
$$|z|$$

(C) 
$$2|z|$$

(D) none of these.